



# NTN BEARING CORP.OF AMERICA



1.772 Inch | 45 Millimeter x 3.346 Inch | 85 Millimeter x 0.748 Inch | 19 Millimeter SKF NJ 209 ECP/C3 Cylindrical Roller Bearings

Bearing No. NJ 209 ECP/C3

NJ 209 ECP/C3 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.46
EAN	7316577061096
Product Group	B04144
Bore Profile	Straight
Cage Material	Polymer
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   1 Rib Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	45MM Bore; Straight Bore Profile; 85MM Outside Diameter; 19MM Width;



## NTN BEARING CORP.OF AMERICA

	Polymer Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C3-Loose Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	NJ 209 ECP/C3
Weight / LBS	1.008
d	1.772 Inch   45 Millimeter
D	3.346 Inch   85 Millimeter
B	0.748 Inch   19 Millimeter
bore diameter:	45 mm
static load capacity:	64 kN
outside diameter:	85 mm
precision rating:	Not Rated
overall width:	19 mm
maximum rpm:	9500 RPM
flanges:	(2) Outer Ring, (1) Inner Ring
bearing material:	Steel
bore type:	Straight
cage material:	Polyamide
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C3
closure type:	Open
ring separation:	Separable Ring
outer ring width:	19 mm
operating temperature	Maximum of +300 ° F



## NTN BEARING CORP.OF AMERICA

range:	
fillet radius:	1 mm
dynamic load capacity:	69.5 kN
series:	NJ2